



Medical Imaging

ICON Medical Imaging Bibliography

Goldman, JH, Main, ML; Exuzides, A; Colby, C; Feinstein, S, Waaler, A, Grayburn, P. "Perflutren Protein-Type A Microspheres Injectable Suspension USP Do Not Increase Mortality in Critically Ill Patients: Results From a Retrospective Matched Case-Control Study." *European Journal of Echocardiography* 2009: 10 (Supp 2); ii4

Bull S, Main ML, Stevens GR, **Goldman JH**, Constable SA, Becher H. "Reproducibility and Diurnal Variation of LV Systolic and Diastolic Function by Echo: A Normal Volunteer Study." *European Journal of Echocardiography* 2009: 10 (Supp 2); ii60

Main M, Exuzides A, Colby C, Feinstein S, **Goldman JH**, Waaler A, Grayburn P. "Perflutren Protein-Type A Microspheres Injectable Suspension, USP Does Not Increase Mortality in Critically Ill Patients: Results From a Retrospective Propensity-Matched Case-Control Study." *Value in Health* 2009: 12 (7); A320

Exuzides A, Colby C, **Goldman JH**, Waaler. "A Reducing Bias in a Retrospective Case-Control Study: An Application of Propensity Score Matching." *Value in Health* 2009: 12 (7); A388

Goldman JH, Teerlink J, Saikali K, Malik F, Wolff A. "Echocardiographic Detection of Increases in Ejection Fraction in Patients with Heart Failure Receiving the Selective Cardiac Myosin Activator, CK-1827452." *European Heart Journal* 2009;30(Abstract Supplement); 430

Goldman JH, Teerlink JR, Saikali KG, Malik F, Wolff AA. "Echocardiographic Detection of Increases in Ejection Fraction in Patients with Heart Failure Receiving the Selective Cardiac Myosin Activator, CK-1827452." *Journal of Cardiac Failure*. August 2009; Vol. 15, Issue 6, Page S69

Malik F, Saikali KG, Chen MM, Lee JH, **Goldman JH**, Wolff AA, Teerlink JR. "An Analysis of the Response to CK-1827452, a Selective Cardiac Myosin Activator, in Stable Heart Failure Patients Stratified by Baseline Cardiac Function." *Journal of Cardiac Failure*. August 2009; Vol. 15, Issue 6, Page S65

Senior R, Malik F, Saikali KG, Lee JH, **Goldman JH**, Wolff AA. "The selective cardiac myosin activator CK-1827452 increases systolic function in a concentration dependent manner in patients with stable heart failure." *European Journal of Heart Failure Supplements* 2009: 8 (2) Abstract 135

Goldman JH, Teerlink JR, Saikali KG, Malik F, Wolff AA. "Echocardiographic detection of increases in ejection fraction in patients with heart failure receiving the selective cardiac myosin activator CK-1827452," *European Journal of Heart Failure Supplements* 2009: 8 (2) Abstract 149



A Symbol of Excellence

Medical Imaging

ICON Medical Imaging Bibliography

Goldman, Jonathan H. "Clinical Endpoints in Diabetes Studies: A New Approach" ICON Insight. Spring 2009.

View Full Text: http://www.iconplc.com/_uuid/dd9c726e-0356-42ff-a190-4821722d9e56/index.html

Main, ML; Exuzides, A; Colby, C; Feinstein, S; **Goldman, JH**; Waaler, A; Grayburn, P. "Optison™ Does Not Increase Mortality in Critically Ill Patients: Preliminary Results From a Retrospective Matched Case-Control Study." Journal of the American College of Cardiology. 2009; 53; (10): A255

Main, ML, **Goldman, JH**, Grayburn, PA. "Ultrasound Contrast Agents: Balancing Safety Versus Efficacy." Expert Opinion on Drug Safety. 2009; 8(1), 49-56.

"ICON Medical Imaging, An Interview with Ted Gastineau, President." Center Watch Weekly 26 Jan. 2009.

View Full Text: <http://www.iconplc.com/icon-files/docs/thought-leadership/public/An-Interview-with-Ted-Gastineau-Centerwatch-Weekly.pdf>

Goldman, Jonathan H. "Imaging and Cardiology." ICON Insight. Winter 2008.

View Full Text: <http://www.iconplc.com/icon-files/docs/thought-leadership/public/Imaging-and-Cardiology.pdf>

Conklin, James. "Future Functions." European Pharmaceutical Contractor Magazine, ECG Core Labs & Cardiac Safety Autumn 2008: 86-89.

View Full Text: <http://www.iconplc.com/icon-files/docs/thought-leadership/public/Future-Functions-Charting-Commercial-Imaqng-Core-Laboratory-Technology.pdf>

Kontos, MC; **Goldman, JH**; Li, Y; Kacena, K; LaFrance, N; Babich, JW, Udelson JE "Iodofiltic Acid I 123 SPECT Provides Incremental Diagnostic Value over Initial Clinical Information in Emergency Department Patients with Suspected Acute Coronary Syndrome." Circulation. (2008); 118:S5

Cleland, J; Mc Murray, J; Lang, C; Clarke, C; Neyses, L; Saikali, K; Lee, J; **Goldman, JH**; Teerlink, J; Malik, F. "First Clinical Trial of the Selective Cardiac Myosin Activator, CK-1827452, in Heart Failure: Effect of Dose and Plasma Concentration of Systolic Function." Circulation (2008)

Cleland, J., M. Murray, C. Lang, C. Clarke, L. Neyses, K. Saikali, J. Lee, J. H. **Goldman, J.** Teerlink, and F. Malik. "First Clinical Trial of the Selective Cardiac Myosin Activator, CK-1827452, in Heart Failure: Effect of Dose and Plasma Concentration of Systolic Function." European Heart Journal 29 (2008): 299.



A Symbol of Excellence

Medical Imaging

ICON Medical Imaging Bibliography

Main M., **Goldman J.H**, Grayburn P. "Thinking Outside the "Box" – The Ultrasound Contrast Controversy". Journal American College Cardiology (2007): 50 (25): 2434-7

Goldman JH. Left Ventricular Anatomy and Size. A Handbook of Echocardiography. 2007. Oxford University Press

Kraus, Andrew F. "Medical Imaging Stakeholders Call for Actions." DIA Today Dec. 2007: 14.

View Full Text: <http://www.iconplc.com/icon-files/docs/thought-leadership/public/Medical-Imaging-Stakeholders-Call-for-Action.pdf>

Gastineau, Ted. "FDA Guidance Document Focuses on Cancer Trial Endpoints." Applied Clinical Trials May 2, 2006.

View Full Text: <http://www.iconplc.com/icon-files/docs/thought-leadership/public/FDA-Guidance-Focuses-on-Cancer-Trial-Endpoints.pdf>